



## Epilepsy Management Plan

Each client diagnosed with epilepsy is to have an epilepsy management plan completed. This plan is to be developed and reviewed in consultation with all key people including the Neurologist or GP and family members plus any other relevant people as needed.

Client Name: \_\_\_\_\_ Date of Birth \_\_\_\_\_ Age: \_\_\_\_\_

Address: \_\_\_\_\_

Phone: \_\_\_\_\_

Emergency Contact Name and Number:

\_\_\_\_\_  
\_\_\_\_\_

### Epilepsy Diagnosis & Details

Type of seizure/s:

\_\_\_\_\_  
\_\_\_\_\_

Known triggers:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Seizure pattern: (What happens before, during and after):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Forms/Peckys Limited/Epilepsy Management

Date: August 2015

Version: 4

Uncontrolled if not located in Peckys Limited forms folder or electronic version



## Epilepsy Management Plan

What are the warning signs?

---

---

---

Date of last seizure?

---

### Call an ambulance if:

- The seizure lasts more than five minutes or longer than documented on the client's epilepsy management plan;
- Food, water or vomit is in the person's mouth during the seizure;
- The client has breathing difficulties after the seizure has stopped;
- If it is the first known seizure;
- The client has diabetes;
- If in doubt;
- The client has been injured;
- The seizure occurs in water;
- More than one seizure occurs in rapid progression;
- The person is seriously injured and needs medical attention.

### Epilepsy Medications: (Name, Dose, Time Given, Form of Administration)

---

---

---

---

### Plan Approved By:

Neurologist/GP:

Signed: \_\_\_\_\_ Dated: \_\_\_\_\_

Coordinator:

Signed: \_\_\_\_\_ Dated: \_\_\_\_\_

Forms/Peckys Limited/Epilepsy Management

Date: August 2015

Version: 4

Uncontrolled if not located in Peckys Limited forms folder or electronic version

